ELSEVIER

Progress in Organic Coatings 24 (1994) 385

PROGRESS IN ORGANIC COATINGS

Author Index of Volume 24

Ando, N., 81

Barbucci, A., 21
Batts, G.N., 43
Bergenståhl, B., 281
Biggs, S., 11
Bittner, A., 29
Bonora, P.L., 253
Brady, Jr., R.F., 1

Candau, F., 11
Caretta, M., 21
Cerisola, G., 21
Charlesworth, J.M., 1
Chesneau, A., 115
Christ, U., 29
Chu, G., 189
Clemens, R.J., 43
Cozette, F., 115

Deflorian, F., 253
Dobson, I.D., 55
Dragon, A., 115

Fedrizzi, L., 253
François, J., 67
Furukawa, H., 81
Furukawa, M., 101

Gacougnolle, J.L., 115
Gregorovich, B.V., 131

Haubennestel, K., 341
Hayashi, N., 323
Hazan, I., 81, 131
Hill, A., 11
Hill, L.W., 147
Holmberg, K., 281
Hook, J.W., 175
Huang, J.B., 341
Hubert, J.C., 263
Huldén, M., 281

Inoue, M., 81

Jacox, P.J., 175
Jones, F.N., 189

Katayose, M., 323
Kato, Y., 81
Kjellqvist, K., 209
Korzeniowski, H.M., 147

Lawniczak, J.E., 43
Lee, Y.K., 81

Mazur, S., 225
Mengoli, G., 237
Middleton, K.P., 43
Mišković-Stanković, V.B., 253
Muizebelt, W.J., 263
Musiani, M.M., 237

Ojunga-Andrew, M., 147
Omura, H., 81
Östberg, G., 281

Perera, D.Y., 299
Plazek, D.J., 225

Rammelt, U., 309
Reinhard, G., 309

Samaraweera, U., 189
Sass, C., 43
Schutyser, P., 299
Selb, J., 11
Shirakawa, S., 101
Spence, J.W., 175

Tai, S., 323
Thorstenson, T.A., 341
Tominaga, A., 359
Tsuboniwa, N., 101

Urano, S., 101
Urban, M.W., 341

Vanlerberghe, A., 115
Venderbosch, R.A.M., 263
Verpy, C., 115

Wilson, R.C., 147

Yabuta, M., 101, 359
Yamanaka, E., 101
Yukawa, Y., 359

Elsevier Science S.A.

ELSEVIER

Progress in Organic Coatings 24 (1994) 386–392

PROGRESS IN ORGANIC COATINGS

Subject Index of Volume 24

Abatement
  environmentally based coatings reformulation: a cost effective, low risk approach, 55
Acetal funtionality
  reactive acid curing waterborne microparticles, 209
Acid curing
  reactive acid curing waterborne microparticles, 209
Acid rain
  environmental etch performance, and scratch and mar of automotive clearcoats, 131
  acid rain effects on the exterior durability of architectural coatings on wood, 175
Acid rain resistance
  cure mechanism and properties of acrylosilane coatings, 81
Acid value
  alkyd emulsions, 281
Acid wet deposition
  acid rain effects on the exterior durability of architectural coatings on wood, 175
Acrylic/melamine formaldehyde enamels
  recent studies of self-condensation and co-condensation of melamine–formaldehyde resins; cure at low temperatures, 189
Acrylic latex paint
  acid rain effects on the exterior durability of architectural coatings on wood, 175
Acrylic resin
  recent studies of self-condensation and co-condensation of melamine–formaldehyde resins; cure at low temperatures, 189
Acrylics
  accelerated clearcoat weathering studied by dynamic mechanical analysis, 147
Acrylosilane
  cure mechanism and properties of acrylosilane coatings, 81
Activation energy
  fluorescence cure studies of amino–epoxy systems, 1
Active pigments
  characterization of active pigments in damage of organic coatings on steel by means of electrochemical impedance spectroscopy, 309
Adhesion mechanism
  how do chlorinated poly(olefins) promote adhesion of coatings to poly(propylene)?, 43
Adhesion promoters
  how do chlorinated poly(olefins) promote adhesion of coatings to poly(propylene)?, 43
Adhesion to anodized aluminum
  cure mechanism and properties of acrylosilane coatings, 81
Aggregation
  unique molecular aggregation of novel naphthalocyanine (near IR absorbing dye), 323
Alkoxysilane
  environmental etch performance, and scratch and mar of automotive clearcoats, 131
Alkyd
  alkyd emulsions, 281

Elsevier Science S.A.

Alkyd-r
mechanistic study of drying of alkyd resins using ethyl linoleate as a model substance, 263
Associative polymers
synthesis, structure and properties of hydrophobically associating polymers, 11
ATR FT-IR of coatings
mobility and distribution of silicone additives in coatings; a spectroscopic study, 341
Automobile top coats
rheology control of organic coatings with new hydrophobic silicas, 29

Blocked isocyanate
environmental etch performance, and scratch and mar of automotive clearcoats, 131
self-crosslinkable graft copolymer with blocked isocyanate and other functionalities: synthesis, reactivity and application to thermoset coatings, 359
Brittle fracture
environmental etch performance, and scratch and mar of automotive clearcoats, 131

Calcium carbonate
acid rain effects on the exterior durability of architectural coatings on wood, 175
Camphorquinone
fluorescence cure studies of amino–epoxy systems, 1
Chlorinated poly(olefins)
how do chlorinated poly(olefins) promote adhesion of coatings to poly(propylene)?, 43
Clearcoats
environmental etch performance, and scratch and mar of automotive clearcoats, 131
accelerated clearcoat weathering studied by dynamic mechanical analysis, 147
Coatings
organic coatings for marginally prepared steel surfaces, 21
phenol electropolymerization: a straight route from monomers to polymer coatings, 237
mechanistic study of drying of alkyd resins using ethyl linoleate as a model substance, 263
Coatings additives
mobility and distribution of silicone additives in coatings; a spectroscopic study, 341
Condensation
viscoelastic effects in the coalescence of polymer particles, 225
Condensation reaction
cure mechanism and properties of acrylosilane coatings, 81
Core-shell particles
reactive acid curing waterborne microparticles, 209
Corrosion
organic coatings for marginally prepared steel surfaces, 21
phenol electropolymerization: a straight route from monomers to polymer coatings, 237
a comparative study of the available electrochemical methods for the investigation of epoxy and fluoropolymer coatings deterioration, 253
Corrosion inhibitor
phenol electropolymerization: a straight route from monomers to polymer coatings, 237
Cracking
acid rain effects on the exterior durability of architectural coatings on wood, 175
Crosslink
mechanistic study of drying of alkyd resins using ethyl linoleate as a model substance, 263
Crosslink density
environmental etch performance, and scratch and mar of automotive clearcoats, 131
Crosslinking mechanism
cure mechanism and properties of acrylosilane coatings, 81
Crosslinking reaction
a new system for the electrodeposition coatings based on *N*-methacryloylcarbamate, 101
Crosslinking types
environmental etch performance, and scratch and mar of automotive clearcoats, 131

Deblocking
self-crosslinkable graft copolymer with blocked isocyanate and other functionalities: synthesis, reactivity and application to thermoset coatings, 359
Diffusion
phenol electropolymerization: a straight route from monomers to polymer coatings, 237
Drier
alkyd emulsions, 281
Dynamic mechanical analysis
accelerated clearcoat weathering studied by dynamic mechanical analysis, 147

Elastic modulus
effect of physical aging on thermal stress development in powder coatings, 299
Electrochemical impedance spectroscopy
a comparative study of the available electrochemical methods for the investigation of epoxy and fluoropolymer coatings deterioration, 253
characterization of active pigments in damage of organic coatings on steel by means of electrochemical impedance spectroscopy, 309
Electrodeposition paint
a new system for the electrodeposition coatings based on *N*-methacryloylcarbamate, 101
Electropolymerization
phenol electropolymerization: a straight route from monomers to polymer coatings, 237
Emulsion
alkyd emulsions, 281
Emulsion copolymerisation
reactive acid curing waterborne microparticles, 209
Environmental etching
environmental etch performance, and scratch and mar of automotive clearcoats, 131
Epoxy
environmental etch performance, and scratch and mar of automotive clearcoats, 131
Epoxy coatings
a comparative study of the available electrochemical methods for the investigation of epoxy and fluoropolymer coatings deterioration, 253
Equilibration
viscoelastic effects in the coalescence of polymer particles, 225
Ether
mechanistic study of drying of alkyd resins using ethyl linoleate as a model substance, 263

Falling weight impact
the surface embrittlement of a ductile blend due to a brittle paint layer, 115
Faradaic distortion
a comparative study of the available electrochemical methods for the investigation of epoxy and fluoropolymer coatings deterioration, 253
Fluorescence spectrophotometry
fluorescence cure studies of amino–epoxy systems, 1
Fluoropolymer coatings
a comparative study of the available electrochemical methods for the investigation of epoxy and fluoropolymer coatings deterioration, 253
Formaldehyde free
reactive acid curing waterborne microparticles, 209

Gas chromatography
mechanistic study of drying of alkyd resins using ethyl linoleate as a model substance, 263
Glass transition temperature
fluorescence cure studies of amino–epoxy systems, 1
effect of physical aging on thermal stress development in powder coatings, 299
Graft copolymer
self-crosslinkable graft copolymer with blocked isocyanate and other functionalities: synthesis, reactivity and application to thermoset coatings, 359

H-aggregate
unique molecular aggregation of novel naphthalocyanine (near IR absorbing dye), 323

Hydrolysis
environmental etch performance, and scratch and mar of automotive clearcoats, 131
Hydrolysis reaction
cure mechanism and properties of acrylosilane coatings, 81
Hydrophobically end-capped
association in water of model hydrophobically end-capped poly(ethylene oxide), 67
Hydrophobically modified poly(acrylamide)
synthesis, structure and properties of hydrophobically associating polymers, 11
Hydrophobic interactions
synthesis, structure and properties of hydrophobically associating polymers, 11
Hydroxyl number
alkyd emulsions, 281

Impedance
phenol electropolymerization: a straight route from monomers to polymer coatings, 237
Industrial coatings
recent studies of self-condensation and co-condensation of melamine–formaldehyde resins; cure at low temperatures, 189
Isocyanate
environmental etch performance, and scratch and mar of automotive clearcoats, 131

J-type molecular arrangement
unique molecular aggregation of novel naphthalocyanine (near IR absorbing dye), 323

Life cycle analysis
environmentally based coatings reformulation: a cost effective, low risk approach, 55
Low temperature crosslinking system
a new system for the electrodeposition coatings based on *N*-methacryloylcarbamate, 101
Low temperature cure coatings
recent studies of self-condensation and co-condensation of melamine–formaldehyde resins; cure at low temperatures, 189

Mar
environmental etch performance, and scratch and mar of automotive clearcoats, 131
Mass spectroscopy
mechanistic study of drying of alkyd resins using ethyl linoleate as a model substance, 263
Mechanism of rheology control
rheology control of organic coatings with new hydrophobic silicas, 29
Melamine
environmental etch performance, and scratch and mar of automotive clearcoats, 131
Melamine–formaldehyde resin
recent studies of self-condensation and co-condensation of melamine–formaldehyde resins; cure at low temperatures, 189
Methanesulfonic acid
recent studies of self-condensation and co-condensation of melamine–formaldehyde resins; cure at low temperatures, 189
Micellar polymerization
synthesis, structure and properties of hydrophobically associating polymers, 11
Mildew
acid rain effects on the exterior durability of architectural coatings on wood, 175
N-Methacryloylcarbamate
a new system for the electrodeposition coatings based on *N*-methacryloylcarbamate, 101

Naphthalocyanine
unique molecular aggregation of novel naphthalocyanine (near IR absorbing dye), 323
Nuclear magnetic resonance spectroscopy
mechanistic study of drying of alkyd resins using ethyl linoleate as a model substance, 263

Oil length
alkyd emulsions, 281

One component coatings
self-crosslinkable graft copolymer with blocked isocyanate and other functionalities: synthesis, reactivity and application to thermoset coatings, 359
Optical property
unique molecular aggregation of novel naphthalocyanine (near IR absorbing dye), 323
Organic coatings
characterization of active pigments in damage of organic coatings on steel by means of electrochemical impedance spectroscopy, 309
Ozone
environmentally based coatings reformulation: a cost effective, low risk approach, 55

Paint layer
the surface embrittlement of a ductile blend due to a brittle paint layer, 115
Partitioning
alkyd emulsions, 281
Phenol
phenol electropolymerization: a straight route from monomers to polymer coatings, 237
Phosphating
phenol electropolymerization: a straight route from monomers to polymer coatings, 237
Phosphorescence
fluorescence cure studies of amino–epoxy systems, 1
Physical aging
effect of physical aging on thermal stress development in powder coatings, 299
Physical properties
accelerated clearcoat weathering studied by dynamic mechanical analysis, 147
Plastic flow
environmental etch performance, and scratch and mar of automotive clearcoats, 131
Polydispersity
association in water of model hydrophobically end-capped poly(ethylene oxide), 67
Poly(ester)/melamine formaldehyde enamels
recent studies of self-condensation and co-condensation of melamine–formaldehyde resins; cure at low temperatures, 189
Poly(ester) resin
recent studies of self-condensation and co-condensation of melamine–formaldehyde resins; cure at low temperatures, 189
Poly(ethylene oxide) glycols
association in water of model hydrophobically end-capped poly(ethylene oxide), 67
Poly(ethylene oxide) urethanes
association in water of model hydrophobically end-capped poly(ethylene oxide), 67
Polymerizable surfactant
alkyd emulsions, 281
Polymer plate
the surface embrittlement of a ductile blend due to a brittle paint layer, 115
Polymer–surfactant interaction
synthesis, structure and properties of hydrophobically associating polymers, 11
Poly(propylene)
how do chlorinated poly(olefins) promote adhesion of coatings to poly(propylene)?, 43
Poly(urethanes)
accelerated clearcoat weathering studied by dynamic mechanical analysis, 147
Potochemical ozone creation potential
environmentally based coatings reformulation: a cost effective, low risk approach, 55
Powder coatings
effect of physical aging on thermal stress development in powder coatings, 299
Protective mechanism
characterization of active pigments in damage of organic coatings on steel by means of electrochemical impedance spectroscopy, 309
Pyrogenic silicas
rheology control of organic coatings with new hydrophobic silicas, 29

Quantitative analysis
mobility and distribution of silicone additives in coatings; a spectroscopic study, 341

Radical polymerization
a new system for the electrodeposition coatings based on *N*-methacryloylcarbamate, 101
Reactive surfactant
alkyd emulsions, 281
Reformulation
environmentally based coatings reformulation: a cost effective, low risk approach, 55
Rheology control
rheology control of organic coatings with new hydrophobic silicas, 29

Sagging behaviour
rheology control of organic coatings with new hydrophobic silicas, 29
Scratch
environmental etch performance, and scratch and mar of automotive clearcoats, 131
Secondary ion mass spectroscopy
mechanistic study of drying of alkyd resins using ethyl linoleate as a model substance, 263
Self-condensation of melamine-formaldehyde resins
recent studies of self-condensation and co-condensation of melamine–formaldehyde resins; cure at low temperatures, 189
Shear strain jump
rheology control of organic coatings with new hydrophobic silicas, 29
Shear thinning
rheology control of organic coatings with new hydrophobic silicas, 29
Silane
environmental etch performance, and scratch and mar of automotive clearcoats, 131
Siloxane crosslinking
cure mechanism and properties of acrylosilane coatings, 81
Sintering
viscoelastic effects in the coalescence of polymer particles, 225
Size exclusion chromatography
mechanistic study of drying of alkyd resins using ethyl linoleate as a model substance, 263
Sodium potassium alumino-silicate
acid rain effects on the exterior durability of architectural coatings on wood, 175
Stabilizers
accelerated clearcoat weathering studied by dynamic mechanical analysis, 147
Stain resistance
cure mechanism and properties of acrylosilane coatings, 81
Storage stability
self-crosslinkable graft copolymer with blocked isocyanate and other functionalities: synthesis, reactivity and application to thermoset coatings, 359
Stress relaxation
effect of physical aging on thermal stress development in powder coatings, 299
Surface and interfacial depth profiling
mobility and distribution of silicone additives in coatings; a spectroscopic study, 341
Surface embrittlement
the surface embrittlement of a ductile blend due to a brittle paint layer, 115
Surface preparation
organic coatings for marginally prepared steel surfaces, 21
Surfactant
alkyd emulsions, 281

Taber abraser
environmental etch performance, and scratch and mar of automotive clearcoats, 131
Thermal and mechanical properties
fluorescence cure studies of amino–epoxy systems, 1
Thermal expansion coefficient
effect of physical aging on thermal stress development in powder coatings, 299
Thermal stress
effect of physical aging on thermal stress development in powder coatings, 299

Thermoplastic poly(olefins)
how do chlorinated poly(olefins) promote adhesion of coatings to poly(propylene)?, 43
Thermoset coatings
self-crosslinkable graft copolymer with blocked isocyanate and other functionalities: synthesis, reactivity and application to thermoset coatings, 359
Thermosetting systems
effect of physical aging on thermal stress development in powder coatings, 299
Thickeners
synthesis, structure and properties of hydrophobically associating polymers, 11
p-Toluenesulfonic acid
recent studies of self-condensation and co-condensation of melamine–formaldehyde resins; cure at low temperatures, 189
Trialkoxysilylalkyl methacrylate
cure mechanism and properties of acrylosilane coatings, 81

Urethane groups
association in water of model hydrophobically end-capped poly(ethylene oxide), 67

Viscoelastic coalescence
viscoelastic effects in the coalescence of polymer particles, 225
Viscoelasticity
the surface embrittlement of a ductile blend due to a brittle paint layer, 115
Viscoelastic properties
rheology control of organic coatings with new hydrophobic silicas, 29
Viscosity of associative polymers
synthesis, structure and properties of hydrophobically associating polymers, 11
VOC
environmentally based coatings reformulation: a cost effective, low risk approach, 55

Waterborne coatings
reactive acid curing waterborne microparticles, 209
self-crosslinkable graft copolymer with blocked isocyanate and other functionalities: synthesis, reactivity and application to thermoset coatings, 359
Water uptake
a comparative study of the available electrochemical methods for the investigation of epoxy and fluoropolymer coatings deterioration, 253
Weathering
accelerated clearcoat weathering studied by dynamic mechanical analysis, 147
acid rain effects on the exterior durability of architectural coatings on wood, 175
Weather resistance
cure mechanism and properties of acrylosilane coatings, 81

Yellowing
acid rain effects on the exterior durability of architectural coatings on wood, 175